















# Robotics: Science & Systems (RSS), 2012

Our results reveal that lightweight robots can achieve high locomotor performance on granular media by exploiting fluid properties of the granular material. This locomotion mode is distinct from previously observed low frequency yielding walking strategy, and provides a better understanding of fundamental locomotive modes for a broad class of granular substrates. The lightweight robot platform enables detailed examination of legged locomotion, and provides likely the best model to date of a robot running on granular media. In addition, the integrated simulation tool we developed can be used to systematically test the effect of both locomotor and substrate properties on locomotor performance, which can guide the design, control and power consumption estimates for high-performing multi-terrain robot platforms.

Finally, we note that while experiment and simulation allow detailed investigation of mechanics of movement on granular media, a complementary approach is needed, that of low order dynamical models that can be used to gain insight into the critical mechanics of dynamical running. In our future work, we will investigate if a dynamic force law that describes the hydrodynamic-like forces during high speed leg intrusions can be obtained from measurements in DEM simulation. We posit that a generalized locomotion model similar to the Spring-Loaded Inverted Pendulum (SLIP) [26] can be developed based on the force law, and can extend our current study to more generalized conditions. This generalized model will shed light on the locomotor dynamics of legged animals and robots on granular media, as well as guide development for analytically tractable low order models.

## ACKNOWLEDGMENTS

We thank Jeff Shen for the help with data collection, and Yang Ding and Paul Umbanhowar for helpful discussion.

## REFERENCES

- [1] U. Saranli, M. Buehler, and D. E. Koditschek, "[RHex: A Simple and Highly Mobile Hexapod Robot](#)," The International Journal of Robotics Research, vol. 20, no. 7, pp. 616-631, 2001.
- [2] R. T. Schroer, M. J. Boggess, R. J. Bachmann, R. D. Quinn, and R. E. Ritzmann, "[Comparing cockroach and Whegs robot body motions](#)," in Proceedings of the 2004 IEEE International Conference on Robotics and Automation, vol. 4, pp. 3288-3293, 2004.
- [3] C. Wright et al., "[Design of a modular snake robot](#)," Proceedings of the 2007 IEEE/RSJ International Conference on Intelligent Robots and Systems, pp. 2609-2614, Oct. 2007.
- [4] S. Kim, M. Spenko, S. Trujillo, et al., "[Whole body adhesion: hierarchical, directional and distributed control of adhesive forces for a climbing robot](#)," in Proceedings of the 2007 IEEE International Conference on Robotics and Automation, pp. 1268-1273, April 2007.
- [5] C. Li, S. T. Hsieh, and D. I. Goldman, "Multi-functional foot use during running in the zebra-tailed lizard (*Callisaurus draconoides*)", Journal of Experimental Biology, vol. 215, no. 18, 2012.
- [6] J. Matson, "[Unfree Spirit: NASA's Mars Rover Appears Stuck for Good](#)," Scientific American, vol. 302, no. 4, p. 16, 2010.
- [7] H. M. Jaeger, S. R. Nagel, and R. P. Behringer, "[The physics of granular materials](#)," Physics Today, vol. 49, p. 32, 1996.
- [8] R. M. Nedderman, [Statics and Kinematics of Granular Materials](#). Cambridge: Cambridge University Press, 1992.
- [9] C. Li, P. B. Umbanhowar, H. Komsuoglu, D. E. Koditschek, and D. I. Goldman, "[Sensitive dependence of the motion of a legged robot on granular media](#)," Proceedings of the National Academy of Sciences of the United States of America, vol. 106, no. 9, pp. 3029-3034, 2009.
- [10] R. J. Wood, R. Sahai, E. Steltz, and R. S. Fearing, "[Microrobot design using fiber reinforced composites](#)," Journal of Mechanical Design, vol. 130, no. May, pp. 1-11, 2008.
- [11] A. M. Hoover, S. Burden, X. Fu, S. S. Sastry, and R. S. Fearing, "[Bio-inspired design and dynamic maneuverability of a minimally actuated six-legged robot](#)," Biomedical Robotics and Biomechanics (BioRob), pp. 869-876, 2010.
- [12] P. Birkmeyer, K. Peterson, and R. S. Fearing, "[DASH: A dynamic 16g hexapedal robot](#)," in IEEE International Conference on Intelligent Robots and Systems, pp. 2683-2689, 2009.
- [13] W. Mosauer, "[Adaptive convergence in the sand reptiles of the Sahara and of California: A study in structure and behavior](#)," Copeia, vol. 1932, no. 2, pp. 72-78, Jul. 1932.
- [14] C. S. Crawford, [Biology of Desert Invertebrates](#). New York: Springer, 1981.
- [15] C. Li, A. M. Hoover, P. Birkmeyer, P. B. Umbanhowar, R. S. Fearing, and D. I. Goldman, "[Systematic study of the performance of small robots on controlled laboratory substrates](#)," Proceedings of SPIE Defense, Security, and Sensing Conference, 7679:76790Z (1-13), 2010.
- [16] S. Vogel, [Life in moving fluids: the physical biology of flow](#). Princeton Univ Pr, 1996.
- [17] R. D. Maladen, Y. Ding, P. B. Umbanhowar, A. Kamor, and D. I. Goldman, "[Mechanical models of sandfish locomotion reveal principles of high performance subsurface sand-swimming](#)," Journal of The Royal Society Interface, vol. 8, no. 62, pp. 1332-1345, Mar. 2011.
- [18] A. A. Biewener and R. J. Full, "[Force platform and kinematic analysis](#)," in *Biomechanics: Structures and Systems: A Practical Approach*, Oxford University Press, pp. 45-73, 1992.
- [19] W. W. Dickinson and J. D. Ward, "[Low depositional porosity in eolian sands and sandstones, Namib Desert](#)," Journal of Sedimentary Research, vol. 64, no. 2a, pp. 226-232, 1994.
- [20] M. Jerkins, M. Schr, T. J. Senden, M. Saadatfar, and T. Aste, "[Onset of mechanical stability in random packings of frictional spheres](#)," Physical Review Letters, vol. 101, no. 1, pp. 1-4, 2008.
- [21] N. Gravish, P. B. Umbanhowar, and D. I. Goldman, "[Force and flow transition in plowed granular media](#)," Physical Review Letters, vol. 105, no. 12, pp. 208301(1-4), Sep. 2010.
- [22] J. Schäfer, S. Dippel, and D. Wolf, "[Force schemes in simulations of granular materials](#)," Journal de physique I, vol. 6, no. 1, pp. 5-20, 1996.
- [23] G. L. Ghiringhelli, P. Masarati, and P. Mantegazza, "[Multi-Body Analysis of a Tiltrotor Configuration Multi-Body Formulation](#)," Nonlinear Dynamics, vol. 19, no. 4, pp. 333-357, 1999.
- [24] R. Albert, M. A. Pfeifer, A. Barabási, and P. Schiffer, "[Slow Drag in a Granular Medium](#)," Physical Review Letters, pp. 205-208, 1999.
- [25] G. Hill, S. Yeung, and S. A. Koehler, "[Scaling vertical drag forces in granular media](#)," Europhysics Letters (EPL), vol. 72, no. 1, pp. 137-143, Oct. 2005.
- [26] R. Blickhan, "[The spring-mass model for running and hopping](#)," Journal of Biomechanics, vol. 22, no. 11-12, pp. 1217-1227, 1989.
- [27] J. W. Glasheen and T. A. McMahon, "[A hydrodynamic model of locomotion in the Basilisk Lizard](#)," Nature, vol. 380, no. 6572, pp. 340-341, 1996.
- [28] H. Katsuragi and D. J. Durian, "[Unified force law for granular impact cratering](#)," Nature Physics, vol. 3, no. 6, pp. 420-423, Apr. 2007.
- [29] D. I. Goldman and P. B. Umbanhowar, "[Scaling and dynamics of sphere and disk impact into granular media](#)," Physical Review E, vol. 77, no. 2, pp. 021308(1-14), Feb. 2008.
- [30] S. Kim, J. E. Clark, and M. R. Cutkosky, "[iSprawl: Design and tuning for high-speed autonomous open-loop running](#)," The International Journal of Robotics Research, vol. 25, no. 9, pp. 903-912, 2006.